

Cherry tree

	TO	DOSAGE		APPLICATION TIMING	PERIODICITY
		EACH APPLICATION	PER YEAR		
Naturvigor-G	Soil	2500-3000 kg/ha	2500-3000 kg/ha	End of Winter	Annual
	Soil	2 kg/plant	2 kg/plant	When planting	1 application
Naturvital-16	Fertigation	10-15 l/ha	30-45 l/ha	Begin of bud, after fruit set, veraison	1 application/application season
Naturvital-Plus	Fertigation	10 l/ha	30- l/ha	Begin of bud, after fruit set, veraison	1 application/application season
Naturamin-WSP	Foliar	500-1000 g/ha		Open cluster - First bloom Petals fall Fruit growth and after stress periods	1 application/application season
Naturamin-Plus	Fertigation	8-10 l/ha			
	Foliar	250-300 cc/Hl			
Naturamin-Zn	Fertigation	10-12 l/ha			
	Foliar	300-400 cc/Hl			
Naturmix-L	Fertigation	5-7 l/ha		After petals fall	7 days, depends on the intensity of the deficiency
	Foliar	250-300 cc/Hl		After petals fall	Repeat, depending on the intensity of the deficiency
Naturmix-Mg	Fertigation	5-7 l/ha		After petals fall	7 days, depends on the intensity of the deficiency
	Foliar	250-300 cc/Hl		After petals fall	15-20 days, depends on the intensity of the deficiency
Afterfruit	Foliar	500 cc/Hl		Beginning of summer and september	1 application/application season
Naturquel-B	Foliar	250-250 cc/Hl		Before leaves fall, pre-bloom and after petals fall	1 application/season and 2 applic./after petals fall
Naturquel-Ca	Foliar	250-300 cc/Hl		After fruit set	7 days, along fruit growth
Naturquel-Fe	Fertigation	5-10 kg/ha		Before first white	1 application/application season
		2-3 kg/ha		After fruit set	Repeat, depending on the intensity of the deficiency
Naturquel-Fe-L	Fertigation	5-7 l/ha		After petals fall	7 days, depends on the intensity of the deficiency
	Foliar	250-300 cc/Hl		After petals fall	2-4 applications/ 15 days
Naturquel-Zn/Mn	Fertigation	5-7 l/ha		Before first white	7 days, depends on the intensity of the deficiency
	Foliar	250-300 cc/Hl		After petals fall	2-4 applications/ 15 days
Naturfós	Fertigation	8-10 l/ha	16-20 l/ha	After fruit set and autumn	1 application/application season
	Foliar	300-400 cc/hl		Petal fall, early summer and autumn	1 application/application season
Naturfós-Ca	Foliar	250-300 cc/hl		After fruit set	7-15 days, along fruit growth
Natursal	Fertigation	10-15 l/ha	40-60 l/ha	Begin of bud, after fruit set, fruit growing and veraison	1 application/application season
Naturfruit	Fertigation	5 l/ha		After fruit set	15 days, along fruit growth
	Foliar	250-300 cc/hl		After fruit set	15 days, along fruit growth
Raiza	Fertigation	5 l/ha	10 l/ha	When planting and bloom	In the two first irrigations
Cytoplant-400	Foliar	1,5-2 l/ha		50% bloom and 14-21 days after 1st application	

::: CROP CHART ::: For further information please contact the DAYMSA Technical Department